

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S163	0	"704"/257.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:46
S165	0	"704"/3.ccls. and @ad< "20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input \$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra \$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:46

S166	0	"704"/10.ccls. and @ad< "20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input \$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:47
S169	0	"704"/9.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:49
S170	0	"704"/1.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:50

S171	0	"704"/\$.cols. and @ad<"20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:50
S172	0	@ad<"20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:50
S173	1	"704"/257.cols. and @ad<"20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:51

S174	7	"704"/3.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:52
S175	2	"704"/9.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:52
S176	0	"704"/10.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:53

S177	7	"704"/1.ccls. and @ad< "20080730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra \$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:53
S183	11	@ad< "20050730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) with input and (ideogra\$4 logogra \$4 pictogra\$4 Chinese Japanese) with (database "data base" data-base) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 20:00
S184	8	@ad< "20040317" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) with input and (ideogra\$4 logogra \$4 pictogra\$4 Chinese Japanese) with (database "data base" data-base) and (input\$4 near2 (sequence string)) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 20:06

S185	28	Meurs-Pim-van.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:18
S186	13	Meurs-Pim-van.in. and ideographic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:19
S187	4	Zhang-Lu.in. and ideographic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:24

12/ 23/ 2008 10:30:06 AM

C:\Documents and Settings\qhan\My Documents\ EAST\ Workspaces\ 10803255.wsp